量子点/二维过渡金属硫化物杂化，提高材料紫外光吸收及发光特性

DOI: 10.12086/oee.2024.241011.h02

二维过渡金属硫化物存在一定的局限性，这影响了其在紫外发光二极管、传感器和光电探测器等方面的应用。量子点材料在与二维材料进行集成时，可以有效地吸收紫外波段的光子能量，并将其转化为可见光。因此，量子点/二维材料杂化逐渐成为紫外波段光电应用中的潜在方案。

韩国成均馆大学的 Jeongyong Kim 教授团队通过二维量子点杂化单层 WS_2，提高了材料的紫外光吸收及发光特性，开发了一套先进的化学制备工艺，合成了两种兼具环境友好和紫外光高吸收特性的量子点材料：具有均匀尺寸和分散性的氮化钛 MXene (Ti_2N MQDs) 和石墨氮化碳 (GCNQDs)；随后将 WS_2 块体材料加工成单层 WS_2 薄片，并沉积在分散的量子点上。

测试结果表明，由于二维材料与量子点材料之间的能量转移，当单层 WS_2 薄片与 Ti_2N MQDs 或 GCNQDs 杂化时，其紫外光吸收和发光特性得到显著增强。与原始的单层 WS_2 薄片相比，在 300 nm 波长的紫外光激发条件下，单层 WS_2 薄片/Ti_2N MQD 杂化材料和单层 WS_2 薄片/GCNQDs 杂化材料的最大光发射强度分别提高了 15 倍和 11 倍。该成果为攻克基于单层 WS_2 材料的紫外光电子器件及生物医学应用技术瓶颈奠定了基础。

Opto-Electronic Advances, 2024, **7**(6): 240029.
https://www.oejournal.org/article/doi/10.29026/oea.2024.240029.

Boosting UV light absorption in 2D semiconductor with quantum dot hybrids for enhanced light emission

DOI: 10.12086/oee.2024.241011.h02

Two-dimensional (2D) transition metal dichalcogenides (TMDs) have emerged as a promising class of materials due to their remarkable properties. However, despite their potential, 2D TMDs have their limitations. Overcoming this limitation is essential to fully unlock the potential of these materials in UV-related technologies.

The research team led by Prof. Jeongyong Kim from Sungkyunkwan University, South Korea enhance the UV light absorption and emission properties of monolayer tungsten disulfide (1L-WS_2) by incorporating quantum dots derived from 2D materials (2D/QD hybrids). To create the hybrid materials, they synthesized Ti_2N MQDs and GCNQDs using specific chemical processes, ensuring its uniform size and dispersity. They then prepared 1L-WS_2 flakes from bulk WS_2 and deposited them on top of the dispersed quantum dots.

In summary, our study demonstrates a novel approach to enhance the UV light absorption and emission properties of 1L-WS_2 through hybridization with Ti_2N MQDs and GCNQDs. By integrating these quantum dots with 1L-WS_2, we achieved a significant enhancement in light emission under UV light excitation, paving the way for the development of advanced UV optoelectronic devices and other applications. Furthermore, the environmentally friendly nature of the quantum dots used in this study adds an additional advantage for their widespread utilization in various fields, including biomedical applications.

Opto-Electronic Advances, 2024, **7**(6): 240029.
https://www.oejournal.org/article/doi/10.29026/oea.2024.240029.